



side screen

Bora

CASSETTE	yes
ROLLER TUBE	70 mm diameter
MOUNTING	wall
MAXIMUM PROJECTION	4.0 m
MAXIMUM HEIGHT	2.0 m
MINIMUM HEIGHT	1.1 m
CONSTRUCTION COLOUR	powder coating: white, beige, brown, structural graphite, silver
FABRIC	over 150 patterns: acrylic fabrics, Soltis 92
MANUAL OPERATION	powder coated aluminium bracket



Bora is a side screen installed on balconies, terraces or as an additional cover used with awnings and Pergolas. Its purpose is protection from the sun, wind and curious stares of neighbours or passer-bys.

Our offer contains a wide range of cover patterns that provide a unique atmosphere around the entire shaded area. Bora is a perfect solution for restaurants and for the residents of housing estates and single-family houses. The construction is powder coated in white, beige, brown, structural graphite or silver.



side screen

Bora


mounting

Option 1: Front post - mounting on hard surface.
Option 2: Front post - mounting on soft surface.
Option 3: Bracket for wall mounting.
Each option enables secure and fast installation of the front bar in the bracket.

Option 3


Option 2

Option 1



cassette

Cassette made from extruded aluminium, designed for mounting on the wall.



construction colours

For powder coating Selt company uses paints provided by renowned Swiss company - IGP. Using the IGP-DURA®Clean powders gives us a coating characterized by a surface that is resistant to dirt and easy to maintain.



Powderful Solutions.




RAL 9010



RAL 1015



RAL 8014



71319



RAL 9006

fabric tensioning

Fabric is tensioned by spring mechanism placed in the roller tube.

fabric

All of the acrylic fabrics are impregnated using the protective agents **TEFLON** or **SCOTCHGARD**. They provide excellent protection and strengthen the fabric's resistance to water and dirt. It is important to remember that conditions such as acid rain, organic matter contamination and cleaning the fabric with abrasive chemicals may destroy the protective surface of the fabric.

