




terrace awning

# Corsica

CASSETTE	yes
ROLLER TUBE	70 mm diameter
MOUNTING	wall, ceiling, roof
PROJECTION	1.6 m; 2.1 m; 2.6 m; 3.1m; 3.6 m
MAXIMUM PROJECTION	3.6 m
MAXIMUM WIDTH	7.0 m
MINIMUM WIDTH	projection + 0.5 m
ARMS	folding, aluminum, with springs and plate Flyer's chain, folded arm levelling
OVERLAPPING ARMS	no
TELESCOPIC SUPPORT	no
TILT ANGLE	5° ~ 35°
CONSTRUCTION COLOUR	powder coating: white, beige, brown, structural graphite, silver
FABRIC	over 150 patterns
VALANCE	no
MANUAL OPERATION	no
AUTOMATIC DRIVE	motor, motor with manual override, remote control, wind-sun weather control, motor with electronic limit switches is recommended




Corsica is an awning designed with the idea of shading modern terraces in mind. Its construction is made from extruded aluminium, which ensures strength and durability of the awning, and Flyer's chain used in the arms in connection with precisely made joints guarantees its long-term dependable operation. The cassette is supported by square bar providing stability for the whole construction while making the installation easier. Corsica was designed to provide the possibility of installing LED lighting which allows the user to fully enjoy pleasant summer evenings. This awning, thanks to its aesthetically pleasing design can, apart from shading from the sun, serve as a perfect decorative element of the building, highlighting its individual and unique character.



terrace awning

# Corsica



## construction colours

For powder coating Selt company uses paints provided by renowned Swi company - IGP. Using the IGP-DURA@Clean powders gives us a coating characterized by a surface that is resistant to dirt and easy to maintain.



Powderful Solutions.



RAL 9010



RAL 1015



RAL 8014



71319



RAL 9006

## fabric

All of the acrylic fabrics are impregnated using the protective agents **TEFLON** or **SCOTCHGARD**. They provide excellent protection and strengthen the fabric's resistance to water and dirt. It is important to remember that conditions such as acid rain, organic matter contamination and cleaning the fabric with abrasive chemicals may destroy the protective surface of the fabric.



## construction


Construction is made from extruded aluminium, ensuring durability of the product. Awning cassette is supported by a square bar, which not only protects the fabric, but also provides for easy installation. Special ratcheting mechanism in the arm brackets ensures a perfect closure of the front bar to the cassette.

## automation


We offer such solutions from leading European manufacturers as: full wind and sun automation, motors with wireless or wire control and cranks.



## mounting



Tilt angle adjustment



Mounting on the rafters

Mounting on the ceiling

Mounting on the wall